varian
A Siemens Healthineers Company

RapidPlan® Knowledge-Based Planning*

Brain

Rusu I, Roeske J, Solanki A, Kang H. Fully automated planning and delivery of hippocampal-sparing whole brain irradiation. Med Dosim. 2021 Sep 1:S0958-3947(21)00057-1. Loyola University Medical Center, Maywood, IL

O'Toole J, Picton M, Perez M, Back M, Jayamanne D, Le A, Wu K, Brown C, Atyeo J. Improving efficiency in the radiation management of multiple brain metastases using a knowledge-based planning solution for single-isocentre volumetric modulated arc therapy (VMAT) technique. J Med Radiat Sci. 2021 Jul 26. Northern Sydney Cancer Centre, Sydney, New South Wales, Australia

Feng CH, Cornell M, Moore KL, Karunamuni R, Seibert TM. Automated contouring and planning pipeline for hippocampal-avoidant whole-brain radiotherapy. Radiat Oncol. 2020 Oct 30;15(1):251. UC San Diego Department of Radiation Medicine and Applied Sciences, CA

Chatterjee A, Serban M, Abdulkarim B, Panet-Raymond V, Souhami L, Shenouda G, Sabri S, Jean-Claude B, Seuntjens J. Performance of Knowledge-Based Radiation Therapy Planning for the Glioblastoma Disease Site. Int J Radiat Oncol Biol Phys. 2017 Nov 15;99(4):1021-1028. McGill University Health Centre, Montreal, Quebec, Canada

Head & Neck

Frizzelle M, Pediaditaki A, Thomas C, South C, Vanderstraeten R, Wiessler W, Adams E, Jagadeesan S, Lalli N. Using multi-centre data to train and validate a knowledge-based model for planning radiotherapy of the head and neck. Physics and Imaging in Radiation Oncology. 2022;21:18-23. University College London Hospital, UK

Xu Y, Cyriac J, De Ornelas M, Bossart E, Padgett K, Butkus M, Diwanji T, Samuels S, Samuels MA, Dogan N. Knowledge-Based Planning for Robustly Optimized Intensity-Modulated Proton Therapy of Head and Neck Cancer Patients. Front Oncol. 2021 Oct 19;11:737901. University of Miami Miller School of Medicine, Miami, FL

O'Toole J, Wu K, Bromley R, Stevens M, Eade T, van Gysen K, Atyeo J. Parotid sparing in RapidPlan Oropharynx models: To split or not to split. J Med Radiat Sci. 2020 Mar;67(1):80-86. Northern Sydney Cancer Centre, New South Wales, Australia

Fogliata A, Cozzi L, Reggiori G, Stravato A, Lobefalo F, Franzese C, Franceschini D, Tomatis S, Scorsetti M. RapidPlan knowledge based planning: iterative learning process and model ability to steer planning strategies. Radiat Oncol. 2019 Oct 30;14(1):187. Humanitas Research Hospital and Cancer Center, Milan, Italy

Kamima T, Ueda Y, Fukunaga JI, Shimizu Y, Tamura M, Ishikawa K, Monzen H. Multi-institutional evaluation of knowledge-based planning performance of volumetric modulated arc therapy (VMAT) for head and neck cancer. *Phys Med.* 2019 Aug;64:174-181. The Cancer Institute Hospital, Tokyo, Japan

Tol JP, Dahele M, Gregoire V, Overgaard J, Slotman BJ, Verbakel WFAR. Analysis of EORTC-1219-DAHANCA-29 trial plans demonstrates the potential of knowledge-based planning to provide patient-specific treatment plan quality assurance. *Radiother Oncol.* 2019 Jan;130:75-81. VU University Medical Center, Amsterdam, The Netherlands

Delaney AR, Verbakel WF, Lindberg J, Koponen TK, Slotman BJ, Dahele M. Evaluation of an Automated Proton Planning Solution. *Cureus.* 2018 Dec 6;10(12):e3696. VU University Medical Center, Amsterdam, The Netherlands

Miguel-Chumacero E, Currie G, Johnston A, Currie S. Effectiveness of Multi-Criteria Optimization-based Trade-Off exploration in combination with RapidPlan™ for head & neck radiotherapy planning. *Radiat Oncol.* 2018 Nov 23;13(1):229. Beatson West of Scotland Cancer Centre, Glasgow, United Kingdom

Krayenbuehl J, Zamburlini M, Ghandour S, Pachoud M, Tanadini-Lang S, Tol J, Guckenberger M, Verbakel WFAR. Planning comparison of five automated treatment planning solutions for locally advanced head and neck cancer. *Radiat Oncol.* 2018 Sep 10;13(1):170. University Hospital Zurich, Zurich, Switzerland

** This bibliography is a representative selection, but not necessarily exhaustive list, of literature pertaining to Varian's RapidPlan™ knowledge-based planning (KBP) in particular, with additional general KBP articles foundational to RapidPlan in the General & Foundational section.*

Delaney AR, Dahele M, Tol JP, Kuijper IT, Slotman BJ, Verbakel WFAR. Using a knowledge-based planning solution to select patients for proton therapy. *Radiother Oncol.* 2017 Aug;124(2):263-270. VU University Medical Center, Amsterdam, The Netherlands

Fogliata A, Reggiori G, Stravato A, Lobefalo F, Franzese C, Franceschini D, Tomatis S, Mancosu P, Scorsetti M, Cozzi L. RapidPlan™ head and neck model: the objectives and possible clinical benefit. *Radiat Oncol.* 2017 Apr 27;12(1):73. Humanitas Research Hospital and Cancer Center, Milan, Italy

Berry SL, Ma R, Boczkowski A, Jackson A, Zhang P, Hunt M. Evaluating inter-campus plan consistency using a knowledge based planning model. *Radiother Oncol.* 2016 Aug;120(2):349-55. Memorial Sloan Kettering Cancer Center, New York, NY

Chang AT, Hung AW, Cheung FW, Lee MC, Chan OS, Philips H, Cheng YT, Ng WT. Comparison of Planning Quality and Efficiency Between Conventional and Knowledge-based Algorithms in Nasopharyngeal Cancer Patients Using Intensity Modulated Radiation Therapy. *Int J Radiat Oncol Biol Phys.* 2016 Jul 1;95(3):981-90. Pamela Youde Nethersole Eastern Hospital, Chai Wan, Hong Kong

Delaney AR, Tol JP, Dahele M, Cuijpers J, Slotman BJ, Verbakel WF. Effect of Dosimetric Outliers on the Performance of a Commercial Knowledge-Based Planning Solution. *Int J Radiat Oncol Biol Phys.* 2016 Mar 1;94(3):469-77. VU University Medical Center, Amsterdam, The Netherlands

Tol JP, Dahele M, Delaney AR, Slotman BJ, Verbakel WF. Can knowledge-based DVH predictions be used for automated, in dividualized quality assurance of radiotherapy treatment plans? *Radiat Oncol.* 2015 Nov 19;10(1):234. VU University Medical Center, Amsterdam, The Netherlands

Fogliata A, Nicolini G, Clivio A, Vanetti E, Laksar S, Tozzi A, Scorsetti M, Cozzi L. A broad scope knowledge based model for optimization of VMAT in esophageal cancer: validation and assessment of plan quality among different treatment centers. *Radiat Oncol.* 2015 Oct 31;10(1):220. Oncology Institute of Southern Switzerland, Bellinzona, Switzerland

Tol JP, Delaney AR, Dahele M, Slotman BJ, Verbakel WF. Evaluation of a knowledge-based planning solution for head and neck cancer. *Int J Radiat Oncol Biol Phys.* 2015 Mar 1;91(3):612-20. VU University Medical Center, Amsterdam, The Netherlands

Spine

Younge KC, Marsh RB, Owen D, Geng H, Xiao Y, Spratt DE, Foy J, Suresh K, Wu QJ, Yin FF, Ryu S, Matuszak MM. Improving Quality and Consistency in NRG Oncology Radiation Therapy Oncology Group 0631 for Spine Radiosurgery via Knowledge-Based Planning. *Int J Radiat Oncol Biol Phys.* 2018 Mar 15;100(4):1067-1074. University of Michigan, Ann Arbor, MI

Foy JJ, Marsh R, Ten Haken RK, Younge KC, Schipper M, Sun Y, Owen D, Matuszak MM. An analysis of knowledge-based planning for stereotactic body radiation therapy of the spine. *Pract Radiat Oncol.* 2017 Sep - Oct;7(5):e355-e360. University of Michigan, Ann Arbor, MI

Thoracic

Harms J, Zhang J, Kayode O, Wolf J, Tian S, McCall N, Higgins KA, Castillo R, Yang X. Implementation of a Knowledge-Based Treatment Planning Model for Cardiac-Sparing Lung Radiation Therapy. Adv Radiat Oncol. 2021 Jun 24;6(6):100745. Emory University, Atlanta, GA

Dumane VA, Tam J, Lo YC, Rosenzweig KE. RapidPlan for Knowledge-Based Planning of Malignant Pleural Mesothelioma. Pract Radiat Oncol. 2021 Mar-Apr;11(2):e219-e228. Icahn School of Medicine at Mount Sinai, New York, New York

Hoffmann L, Knap MM, Alber M, Møller DS. Optimal beam angle selection and knowledge-based planning significantly reduces radiotherapy dose to organs at risk for lung cancer patients. Acta Oncol. 2021 Mar;60(3):293-299. Aarhus University Hospital, Aarhus, Denmark

Visak J, McGarry RC, Randall ME, Pokhrel D. Development and clinical validation of a robust knowledge-based planning model for stereotactic body radiotherapy treatment of centrally located lung tumors. J Appl Clin Med Phys. 2021 Jan;22(1):146-155. University Kentucky, Lexington, KY

Visak J, Ge GY, McGarry RC, Randall M, Pokhrel D. An Automated knowledge-based planning routine for stereotactic body radiotherapy of peripheral lung tumors via DCA-based volumetric modulated arc therapy. J Appl Clin Med Phys. 2021 Jan;22(1):109-116. University Kentucky, Lexington, KY

Yu S, Xu H, Sinclair A, Zhang X, Langner U, Mak K. Dosimetric and planning efficiency comparison for lung SBRT: CyberKnife vs VMAT vs knowledge-based VMAT. Med Dosim. 2020 Winter;45(4):346-351. Boston University school of medicine, Boston, MA

Kavanaugh JA, Holler S, DeWees TA, Robinson CG, Bradley JD, Iyengar P, Higgins KA, Mutic S, Olsen LA. Multi-institutional Validation of a Knowledge-based Planning Model for Patients Enrolled on RTOG 0617: Implications for Plan Quality Controls in Cooperative Group Trials. *Pract Radiat Oncol.* 2019 Mar;9(2):e218-e227. Washington University in St. Louis, St. Louis, MO

Hof SV, Delaney AR, Tekatli H, Twisk J, Slotman BJ, Senan S, Dahele M, Verbakel WFAR. Knowledge-Based Planning for Identifying High-Risk Stereotactic Ablative Radiation Therapy Treatment Plans for Lung Tumors Larger Than 5 cm. *Int J Radiat Oncol Biol Phys.* 2019 Jan 1;103(1):259-267, VU University Medical Center, Amsterdam, The Netherlands

Delaney AR, Dahele M, Tol JP, Slotman BJ, Verbakel WF. Knowledge-based planning for stereotactic radiotherapy of peripheral early-stage lung cancer. *Acta Oncol.* 2017 Mar;56(3):490-495. VU University Medical Center, Amsterdam, The Netherlands

Fogliata A, Belosi F, Clivio A, Navarria P, Nicolini G, Scorsetti M, Vanetti E, Cozzi L. On the pre-clinical validation of a commercial model-based optimisation engine: application to volumetric modulated arc therapy for patients with lung or prostate cancer. *Radiother Oncol.* 2014 Dec;113(3):385-91. Oncology Institute of Southern Switzerland, Bellinzona, Switzerland

Breast

Castriconi R, Esposito PG, Tudda A, Mangili P, Broggi S, Fodor A, Deantoni CL, Longobardi B, Pasetti M, Perna L, Del Vecchio A, Di Muzio NG, Fiorino C. Replacing Manual Planning of Whole Breast Irradiation With Knowledge-Based Automatic Optimization by Virtual Tangential-Fields Arc Therapy. Front Oncol. 2021 Aug 24;11:712423. San Raffaele Scientific Institute, Milano, Italy

Costa E, Richir T, Robilliard M, Bragard C, Logerot C, Kirova Y, Fourquet A, De Marzi L. Assessment of a conventional volumetric-modulated arc therapy knowledge-based planning model applied to the new Halcyon© O-ring linac in locoregional breast cancer radiotherapy. Phys Med. 2021 Jun;86:32-43. Institut Curie, Paris, France

Rice A, Zoller I, Kocos K, Weller D, DiCostanzo D, Hunzeker A, Lenards N. The implementation of RapidPlan™ in predicting deep inspiration breath-hold candidates with left-sided breast cancer. *Med Dosim.* 2019 Autumn;44(3):210-218. University of Wisconsin-La Crosse, La Crosse, WI

van Duren-Koopman MJ, Tol JP, Dahele M, Bucko E, Meijnen P, Slotman BJ, Verbakel WF. Personalized automated treatment planning for breast plus locoregional lymph nodes using Hybrid RapidArc®. *Pract Radiat Oncol.* 2018 Sep - Oct;8(5):332-341. VU University Medical Center, Amsterdam, The Netherlands

Wang J, Hu W, Yang Z, Chen X, Wu Z, Yu X, Guo X, Lu S, Li K, Yu G. Is it possible for knowledge-based planning to improve intensity modulated radiation therapy plan quality for planners with different planning experiences in left-sided breast cancer patients? *Radiat Oncol.* 2017 May 22;12(1):85. Fudan University Shanghai Cancer Center, Shanghai, China

Fogliata A, Nicolini G, Bourgier C, Clivio A, De Rose F, Fenoglietto P, Lobefalo F, Mancosu P, Tomatis S, Vanetti E, Scorsetti M, Cozzi L. Performance of a Knowledge-Based Model for Optimization of Volumetric Modulated Arc Therapy Plans for Single and Bilateral Breast Irradiation. *PLoS One.* 2015 Dec 21;10(12):e0145137 Oncology Institute of Southern Switzerland, Bellinzona, Switzerland

Gastrointestinal

Cozzi L, Vanderstraeten R, Fogliata A, Chang FL, Wang PM. The role of a knowledge based dose-volume histogram predictive model in the optimisation of intensity-modulated proton plans for hepatocellular carcinoma patients : Training and validation of a novel commercial system. Strahlenther Onkol. 2021 Apr;197(4):332-342. Humanitas Clinical and Research Center, Milan-Rozzano, Italy

Celik E, Baues C, Claus K, Fogliata A, Scorsetti M, Marnitz S, Cozzi L. Knowledge-based intensity-modulated proton planning for gastroesophageal carcinoma. Acta Oncol. 2021 Mar;60(3):285-292. University Hospital Cologne, Cologne, Germany

Wang M, Li S, Huang Y, Yue H, Li T, Wu H, Gao S, Zhang Y. An interactive plan and model evolution method for knowledge-based pelvic VMAT planning. *J Appl Clin Med Phys.* 2018 Sep;19(5):491-498. Peking University Cancer Hospital & Institute, Beijing, China

Yu G, Li Y, Feng Z, Tao C, Yu Z, Li B, Li D. Knowledge-based IMRT planning for individual liver cancer patients using a novel specific model. *Radiat Oncol.* 2018 Mar 27;13(1):52. Shandong Normal University, Shandong, China

Wu H, Jiang F, Yue H, Li S, Zhang Y. A dosimetric evaluation of knowledge-based VMAT planning with simultaneous integrated boosting for rectal cancer patients. J *Appl Clin Med Phys.* 2016 Nov 8;17(6):6410. Peking University Cancer Hospital & Institute, Beijing, China

Wu H, Jiang F, Yue H, Zhang H, Wang K, Zhang Y. Applying a RapidPlan model trained on a technique and orientation to another: a feasibility and dosimetric evaluation. *Radiat Oncol.* 2016 Aug 18;11(1):108. Peking University Cancer Hospital & Institute, Beijing, China

Fogliata A, Wang PM, Belosi F, Clivio A, Nicolini G, Vanetti E, Cozzi L. Assessment of a model based optimization engine for volumetric modulated arc therapy for patients with advanced hepatocellular cancer. *Radiat Oncol.* 2014 Oct 28;9:236. Oncology Institute of Southern Switzerland, Bellinzona, Switzerland

Genitourinary

Nakamura K, Okuhata K, Tamura M, Otsuka M, Kubo K, Ueda Y, Nakamura Y, Nakamatsu K, Tanooka M, Monzen H, Nishimura Y. An updating approach for knowledge-based planning models to improve plan quality and variability in volumetric-modulated arc therapy for prostate cancer. J Appl Clin Med Phys. 2021 Sep;22(9):113-122. Kindai University, Osakasayama, Japan

Xu Y, Brovold N, Cyriac J, Bossart E, Padgett K, Butkus M, Diwanj T, King A, Dal Pra A, Abramowitz M, Pollack A, Dogan N. Assessment of Knowledge-Based Planning for Prostate Intensity Modulated Proton Therapy. Int J Part Ther. 2021 Jun 15;8(2):62-72. University of Miami Miller School of Medicine, Miami, FL

Hundvin JA, Fjellanger K, Pettersen HES, Nygaard B, Revheim K, Sulen TH, Ekanger C, Hysing LB. Clinical iterative model development improves knowledge-based plan quality for high-risk prostate cancer with four integrated dose levels. Acta Oncol. 2021 Feb;60(2):237-244. Haukeland University Hospital, Bergen, Norway

Monzen H, Tamura M, Ueda Y, Fukunaga JI, Kamima T, Muraki Y, Kubo K, Nakamatsu K. Dosimetric evaluation with knowledge-based planning created at different periods in volumetric-modulated arc therapy for prostate cancer: a multi-institution study. Radiol Phys Technol. 2020 Dec;13(4):327-335. Kindai University, Osaka, Japan

Tinoco M, Waga E, Tran K, Vo H, Baker J, Hunter R, Peterson C, Taku N, Court L. RapidPlan development of VMAT plans for cervical cancer patients in low- and middle-income countries. Med Dosim. 2020 Summer;45(2):172-178. The University of Texas MD Anderson Cancer Center, Houston, TX

Castriconi R, Fiorino C, Passoni P, Broggi S, Di Muzio NG, Cattaneo GM, Calandrino R. Knowledge-based automatic optimization of adaptive early-regression-guided VMAT for rectal cancer. Phys Med. 2020 Feb;70:58-64. San Raffaele Scientific Institute, Milano, Italy

Chatterjee A, Serban M, Faria S, Souhami L, Cury F, Seuntjens J. Novel knowledge-based treatment planning model for hypofractionated radiotherapy of prostate cancer patients. Phys Med. 2020 Jan;69:36-43. McGill University Health Centre, Montreal, QC, Canada

Panettieri V, Ball D, Chapman A, Cristofaro N, Gawthrop J, Griffin P, Herath S, Hoyle S, Jukes L, Kron T, Markham C, Marr L, Moloney P, Nelli F, Ramachandran P, Smith A, Hornby CJ. Development of a multicentre automated model to reduce planning variability in radiotherapy of prostate cancer. Phys Imaging Radiat Oncol. 2019 Aug 8;11:34-40. The Alfred Hospital, Melbourne, Australia

Kamima T, Yoshioka M, Takahashi R, Sato T. [Impact of DVH Outliers Registered in Knowledge-based Planning on Volumetric Modulated Arc Therapy Treatment Planning for Prostate Cancer]. *Nihon Hoshasen Gijutsu Gakkai Zasshi.* 2019;75(2):151-159. The Cancer Institute Hospital, Japanese Foundation for Cancer Research, Tokyo, Japan. [Article in Japanese]

Castriconi R, Fiorino C, Broggi S, Cozzarini C, Di Muzio N, Calandrino R, Cattaneo GM. Comprehensive Intra-Institution stepping validation of knowledge-based models for automatic plan optimization. Phys Med. 2018 Dec 10. pii: S1120-1797(18)31339-5. San Raffaele Scientific Institute, Milano, Italy [Epub ahead of print]

Cagni E, Botti A, Wang Y, Iori M, Petit SF, Heijmen BJM. Pareto-optimal plans as ground truth for validation of a commercial system for knowledge-based DVH-prediction. *Phys Med.* 2018 Nov;55:98-106. Azienda USL-IRCCS di Reggio Emilia, Reggio Emilia, Italy

Lin YH, Hong LX, Hunt MA, Berry SL. Use of a constrained hierarchical optimization dataset enhances knowledge-based planning as a quality assurance tool for prostate bed irradiation. *Med Phys.* 2018 Oct;45(10):4364-4369. Hiroshima University, Hiroshima, Japan

Scaggion A, Fusella M, Roggio A, Bacco S, Pivato N, Rossato MA, Peña LMA, Paiusco M. Reducing inter- and intra-planner variability in radiotherapy plan output with a commercial knowledge-based planning solution. *Phys Med.* 2018 Sep;53:86-93 Veneto Institute of Oncology IOV-IRCCS, Padova, Italy

Fusella M, Scaggion A, Pivato N, Rossato MA, Zorz A, Paiusco M. Efficiently train and validate a RapidPlan™ model through APQM scoring. *Med Phys.* 2018 Jun;45(6):2611-2619. Veneto Institute of Oncology, Padova, Italy

Ueda Y, Fukunaga JI, Kamima T, Adachi Y, Nakamatsu K, Monzen H. Evaluation of multiple institutions' models for knowledge-based planning of volumetric modulated arc therapy (VMAT) for prostate cancer. *Radiat Oncol.* 2018

Kubo K, Monzen H, Ishii K, Tamura M, Kawamorita R, Sumida I, Mizuno H, Nishimura Y. Dosimetric comparison of RapidPlan and manually optimized plans in volumetric modulated arc therapy for prostate cancer. Phys Med. 2017 Dec;44:199-204. Kindai University, Osaka Japan

Schubert C, Waletzko O, Weiss C, Voelzke D, Toperim S, Roeser A, Puccini S, Piroth M, Mehrens C, Kueter JD, Hierholz K, Gerull K, Fogliata A, Block A, Cozzi L. Intercenter validation of a knowledge based model for automated planning of volumetric modulated arc therapy for prostate cancer. The experience of the German RapidPlan Consortium. PLoS One. 2017 May 22;12(5):e0178034 University Medical Center Hamburg, Germany

Cagni E, Botti A, Micera R, Galeandro M, Sghedoni R, Orlandi M, Iotti C, Cozzi L, Iori M. Knowledge-based treatment planning: An inter-technique and inter-system feasibility study for prostate cancer. *Phys Med.* 2017 Apr;36:38-45. Arcispedale Santa Maria Nuova, IRCCS, Reggio Emilia, Italy

Hussein M, South CP, Barry MA, Adams EJ, Jordan TJ, Stewart AJ, Nisbet A. Clinical validation and benchmarking of knowledge-based IMRT and VMAT treatment planning in pelvic anatomy. *Radiother Oncol.* 2016 Sep;120(3):473-479. Royal Surrey County Hospital NHS Foundation Trust, Guildford, United Kingdom

Fogliata A, Belosi F, Clivio A, Navarria P, Nicolini G, Scorsetti M, Vanetti E, Cozzi L. On the pre-clinical validation of a commercial model-based optimisation engine: application to volumetric modulated arc therapy for patients with lung or prostate cancer. *Radiother Oncol.* 2014 Dec;113(3):385-91. Oncology Institute of Southern Switzerland, Bellinzona, Switzerland

General, Foundational & Mixed Target

Hirashima H, Nakamura M, Mukumoto N, Ashida R, Fujii K, Nakamura K, Nakajima A, Sakanaka K, Yoshimura M, Mizowaki T. Reducing variability among treatment machines using knowledge-based planning for head and neck, pancreatic, and rectal cancer. J Appl Clin Med Phys. 2021 Jul;22(7):245-254. Kyoto University, Kyoto, Japan

van Gysen K, O'Toole J, Le A, Wu K, Schuler T, Porter B, Kipritidis J, Atyeo J, Brown C, Eade T. Rolling out RapidPlan: What we've learnt. J Med Radiat Sci. 2020 Dec;67(4):310-317. Northern Sydney Cancer Centre, St Leonards, NSW, Australia

Ueda Y, Monzen H, Fukunaga JI, Ohira S, Tamura M, Suzuki O, Inui S, Isono M, Miyazaki M, Sumida I, Ogawa K, Teshima T. Characterization of knowledge-based volumetric modulated arc therapy plans created by three different institutions' models for prostate cancer. Rep Pract Oncol Radiother. 2020 Nov-Dec;25(6):1023-1028. Osaka International Cancer Institute, Osaka 537-8567, Japan

Martell K, McGeachy P, Quon H, Quirk S, Roumeliotis M, Husain S, Meyer T, Sia M, Thind K. Rapid implementation of extreme hypofractionation protocols in prostate cancer using RapidPlan® in response to COVID-19. Radiother Oncol. 2020 Oct;151:296-297. University of Calgary, Calgary, Canada

Kaderka R, Mundt RC, Li N, Ziemer B, Bry VN, Cornell M, Moore KL. Automated Closed- and Open-Loop Validation of Knowledge-Based Planning Routines Across Multiple Disease Sites. Pract Radiat Oncol. 2019 Jul-Aug;9(4):257-265. University of California San Diego, La Jolla, CA

Fusella M, Scaggion A, Pivato N, Rossato MA, Zorz A, Paiusco M. Efficiently train and validate a RapidPlan model through APQM scoring. Med Phys. 2018 Jun;45(6):2611-2619. Veneto Institute of Oncology IOV-IRCCS, Padova, Italy

Alpuche Aviles JE, Cordero Marcos MI, Sasaki D, Sutherland K, Kane B, Kuusela E. Creation of knowledge-based planning models intended for large scale distribution: Minimizing the effect of outlier plans. J Appl Clin Med Phys. 2018 May;19(3):215-226. CancerCare Manitoba, Winnipeg, Manitoba, Canada

Huang Y, Yue H, Wang M, Li S, Zhang J, Liu Z, Zhang Y. Fully automated searching for the optimal VMAT jaw settings based on Eclipse Scripting Application Programming Interface (ESAPI) and RapidPlan knowledge-based planning. J Appl Clin Med Phys. 2018 May;19(3):177-182.Beijing Cancer Hospital & Institute Beijing, China

Masi K, Archer P, Jackson W, Sun Y, Schipper M, Hamstra D, Matuszak M. Knowledge-based treatment planning and its potential role in the transition between treatment planning systems. Med Dosim. 2017 Nov 22. pii: S0958-3947(17)30112-7. University of Michigan, Ann Arbor, MI

Jiang F, Wu H, Yue H, Jia F, Zhang Y. Photon Optimizer (PO) prevails over Progressive Resolution Optimizer (PRO) for VMAT planning with or without knowledge-based solution. J Appl Clin Med Phys. 2017 Mar;18(2):9-14. Beijing Cancer Hospital, Beijing, China

Li N, Carmona R, Sirak I, Kasaova L, Followill D, Michalski J, Bosch W, Straube W, Mell LK, Moore KL. Highly Efficient Training, Refinement, and Validation of a Knowledge-based Planning Quality-Control System for Radiation Therapy Clinical Trials. Int J Radiat Oncol Biol Phys. 2017 Jan 1;97(1):164-172. University of California San Diego, La Jolla, CA

Berry SL, Ma R, Boczkowski A, Jackson A, Zhang P, Hunt M. Evaluating inter-campus plan consistency using a knowledge based planning model. Radiother Oncol. 2016 Aug;120(2):349-55. Memorial Sloan Kettering Cancer Center, New York, NY

Delaney AR, Tol JP, Dahele M, Cuijpers J, Slotman BJ, Verbakel WF. Effect of Dosimetric Outliers on the Performance of a Commercial Knowledge-Based Planning Solution. Int J Radiat Oncol Biol Phys. 2016 Mar 1;94(3):469-77. VU University Medical Center, Amsterdam, The Netherlands

Good D, Lo J, Lee WR, Wu QJ, Yin FF, Das SK. A knowledge-based approach to improving and homogenizing intensity modulated radiation therapy planning quality among treatment centers: an example application to prostate cancer planning. Int J Radiat Oncol Biol Phys. 2013 Sep 1;87(1):176-81. Duke University, Durham, NC

Appenzoller LM, Michalski JM, Thorstad WL, Mutic S, Moore KL. Predicting dose-volume histograms for organs-at-risk in IMRT planning. Med Phys. 2012 Dec;39(12):7446-61. Washington University, St. Louis, MO

Yuan L, Ge Y, Lee WR, Yin FF, Kirkpatrick JP, Wu QJ. Quantitative analysis of the factors which affect the interpatient organ-at-risk dose sparing variation in IMRT plans. Med Phys. 2012 Nov;39(11):6868-78. Duke University Medical Center, Durham, NC

Moore KL, Brame RS, Low DA, Mutic S. Experience-based quality control of clinical intensity-modulated radiotherapy planning. Int J Radiat Oncol Biol Phys. 2011 Oct 1;81(2):545-51. Washington University, St. Louis, MO

Chanyavanich V, Das SK, Lee WR, Lo JY. Knowledge-based IMRT treatment planning for prostate cancer. Med Phys.2011 May;38(5):2515-22. Duke University Medical Center, Durham, NC

Intended Use Summary

Varian Medical Systems' linear accelerators are intended to provide stereotactic radiosurgery and precision radiotherapy for lesions, tumors, and conditions anywhere in the body where radiation treatment is indicated.

Safety Statement

Radiation treatments may cause side effects that can vary depending on the part of the body being treated. The most frequent ones are typically temporary and may include, but are not limited to, irritation to the respiratory, digestive, urinary or reproductive systems, fatigue, nausea, skin irritation, and hair loss. In some patients, they can be severe. Treatment sessions may vary in complexity and time. Radiation treatment is not appropriate for all cancers.

varian

varian.com

USA, Corporate Headquarters and Manufacturer
Varian Medical Systems, Inc.
3100 Hansen Way
Palo Alto, CA 94304
Tel: 650.424.5700
800.544.4636

Headquarters Europe, Eastern Europe, Middle & Near East, India, Africa
Varian Medical Systems International AG
Steinhausen, Switzerland
Tel: 41.41.749.8844

Asia Pacific Headquarters
Varian Medical Systems Pacific, Inc.
Kowloon, Hong Kong
Tel: 852.2724.2836

Australasian Headquarters
Varian Medical Systems Australasia Pty Ltd.
Sydney, Australia
Tel: 61.2.9485.0111

Latin American Headquarter
Varian Medical Systems Brasil Ltda.
São Paulo, Brazil
Tel: 55.11.3457.2655

RAD 10400H 03/2022