

HyperArc® High Definition Radiotherapy Bibliography

Ohira S, Komiyama R, Kanayama N, Ueda Y, Inui S, Miyazaki M, Koizumi M, Konishi K. Intra-fractional motion error during HyperArc stereotactic radiosurgery on patients with brain metastases: Comparison of open and full-face clamshell-style immobilization devices. *J Appl Clin Med Phys.* 2022 Jan 20:e13536. Osaka International Cancer Institute, Osaka, Japan. Online ahead of print.

Rusu I, Roeske J, Solanki A, Kang H. Fully automated planning and delivery of hippocampal-sparing whole brain irradiation. *Med Dosim.* 2021 Sep 1:S0958-3947(21)00057-1. Loyola University Medical Center, Maywood, IL. Online ahead of print.

Popple RA, Sullivan RJ, Yuan Y, Wu X, Covington EL. Evaluation of a two-dimensional diode array for patient-specific quality assurance of HyperArc. *J Appl Clin Med Phys.* 2021 Dec;22(12):203-210. The University of Alabama at Birmingham, Birmingham, Alabama

Ho HW, Yang CC, Lin HM, Chen HY, Huang CC, Wang SC, Lin YW. The new SRS/FSRT technique HyperArc for benign brain lesions: a dosimetric analysis. *Sci Rep.* 2021 Oct 26;11(1):21029. Chi Mei Medical Center, Tainan, Taiwan.

Palmiero AN, Fabian D, Randall ME, Clair W St, Pokhrel D. Predicting the effect of indirect cell kill in the treatment of multiple brain metastases via single-isocenter/multitarget volumetric modulated arc therapy stereotactic radiosurgery. 2021 Oct;22(10):94-103. University of Kentucky, Lexington, Kentucky

Sprowls CJ, Shah AP, Kelly P, Burch DR, Mathews RS, Swanick CW, Meeks SL. Whole brain radiotherapy with hippocampal sparing using Varian HyperArc. *Med Dosim.* 2021 Autumn;46(3):264-268. Orlando Health Cancer Institute, Orlando, FL

Alongi F, Nicosia L, Figlia V, Giaj-Levra N, Cuccia F, Mazzola R, Ricchetti F, Rigo M, Vitale C, De Simone A, Naccarato S, Sicignano G, Gurrera D, Corradini S, Ruggeri R. Long-term disease outcome and volume-based decision strategy in a large cohort of multiple brain metastases treated with a mono-isocentric linac-based Stereotactic Radiosurgery technique. *Clin Transl Oncol.* 2021 Aug;23(8):1561-1570. IRCCS Sacro Cuore Don Calabria Hospital, Cancer Care Center, Negrar, Italy.

Ho HW, Yang CC, Lin HM, Chen HY, Huang CC, Wang SC, Lin YW. The feasibility and efficacy of new SBRT technique HyperArc for recurrent nasopharyngeal carcinoma: noncoplanar cone-based robotic system vs. noncoplanar high-definition MLC based Linac system. *Med Dosim.* 2021 Summer;46(2):164-170. Chi Mei Medical Center, Tainan City, Taiwan

Pokhrel D, Palmiero AN, Bernard ME, Clair WS. Dynamic conformal arcs-based single-isocenter VMAT planning technique for radiosurgery of multiple brain metastases. *Med Dosim.* 2021 Summer;46(2):195-200. University of Kentucky, Lexington KY

Ohira S, Ueda Y, Kanayama N, Isono M, Inui S, Komiyama R, Washio H, Miyazaki M, Koizumi M, Teshima T, Konishi K. Impact of Multileaf Collimator Width on Dose Distribution in HyperArc Fractionated Stereotactic Irradiation for Multiple (-) Brain Metastases. *Anticancer Res.* 2021 Jun;41(6):3153-3159. Osaka International Cancer Institute, Osaka, Japan

Woods K, Chin RK, Cook KA, Sheng K, Kishan AU, Hegde JV, Tenn S, Steinberg ML, Cao M. Automated Non-Coplanar VMAT for Dose Escalation in Recurrent Head and Neck Cancer Patients. *Cancers (Basel).* 2021 Apr 15;13(8):1910. University of California, Los Angeles, CA

Popple RA, Brown MH, Thomas EM, Willey CD, Cardan RA, Covington EL, Riley KO, Markert JM, Bredel M, Fiveash JB. Transition From Manual to Automated Planning and Delivery of Volumetric Modulated Arc Therapy Stereotactic Radiosurgery: Clinical, Dosimetric, and Quality Assurance Results. *Pract Radiat Oncol.* 2021 Mar-Apr;11(2):e163-e171. The University of Alabama at Birmingham, Birmingham, AL

Komiyama R, Ohira S, Ueda H, Kanayama N, Masaoka A, Isono M, Ueda Y, Miyazaki M, Teshima T. Intra-fractional patient motion when using the Qfix Encompass immobilization system during HyperArc treatment of patients with brain metastases. *J Appl Clin Med Phys.* 2021 Mar;22(3):254-260. Osaka International Cancer Institute, Osaka, Japan.

Snyder KC, Cunningham J, Huang Y, Zhao B, Dolan J, Wen N, Chetty IJ, Shah MM, Siddiqui SM. Dosimetric Evaluation of Fractionated Stereotactic Radiation Therapy for Skull Base Meningiomas Using HyperArc and Multicriteria Optimization. *Adv Radiat Oncol.* 2021 Feb 6;6(4):100663. Henry Ford Health Systems, Detroit, MI

Bossart E, Mellon EA, Monterroso I, Elsayyad N, Diwanji T, Samuels S, Dogan N. Assessment of single isocenter linear accelerator radiosurgery for metastases and base of skull lesions. *Phys Med.* 2021 Jan;81:1-8. Sylvester Comprehensive Cancer Center, University of Miami Miller School of Medicine, Miami, FL

Liu CW, Ahmed S, Gray T, Ma T, Cho YB, Neyman G, Chao S, Suh J, Xia P. J. Is there a volume threshold of brain metastases for Linac-based stereotactic radiotherapy? *Radiosurg SBRT.* 2021;7(4):309-319. Cleveland Clinic, Cleveland, OH

Covington EL, Stanley DN, Fiveash JB, Thomas EM, Marcrom SR, Bredel M, Willey CD, Riley KO, Popple RA. Surface guided imaging during stereotactic radiosurgery with automated delivery. *J Appl Clin Med Phys.* 2020 Dec;21(12):90-95. University of Alabama - Birmingham, Birmingham, AL

Boczkowski A, Kelly P, Meeks SL, Erhart K, Bova FJ, Willoughby TR. Proton vs Hyperarc radiosurgery: A planning comparison. *J Appl Clin Med Phys.* 2020 Dec;21(12):96-108. University of Florida, Gainesville and Orlando Health UF Health Cancer Center, Orlando, FL

Shah AP, Meeks DT, Willoughby TR, Ramakrishna N, Warner CJ, Swanick CW, Kelly P, Meeks SL. Intrafraction motion during frameless radiosurgery using Varian HyperArc™ and BrainLab Elements™ immobilization systems. *J Radiosurg SBRT.* Sept 2020;7(2):149-156. Orlando Health UF Health Cancer Center, Orlando, FL

Inui S, Ueda Y, Ohira S, Tsuru H, Isono M, Miyazaki M, Koizumi M, Teshima T. Novel strategy with the automatic non-coplanar volumetric-modulated arc therapy for angiosarcoma of the scalp. *Radiat Oncol.* 2020 Jul 17;15(1):175. Osaka International Cancer Institute, Osaka, Japan

Ho HW, Lee SP, Lin HM, Chen HY, Huang CC, Wang SC, Yang CC, Lin YW. Dosimetric comparison between RapidArc and HyperArc techniques in salvage stereotactic body radiation therapy for recurrent nasopharyngeal carcinoma. *Radiat Oncol.* 2020 Jul 8;15(1):164. Chi Mei Medical Center, Tainan City, Taiwan.

Nicosia L, Figlia V, Mazzola R, Napoli G, Giaj-Levra N, Ricchetti F, Rigo M, Lunardi G, Tomasini D, Bonù ML, Corradini S, Ruggieri R, Alongi F. Repeated stereotactic radiosurgery (SRS) using a non-coplanar mono-isocenter (HyperArc™) technique versus upfront whole-brain radiotherapy (WBRT): a matched-pair analysis. *Clin Exp Metastasis.* 2020 Feb;37(1):77-83. Ospedale "Sacro Cuore", Negrar, Italy

Ohira S, Sagawa T, Ueda Y, Inui S, Masaoka A, Akino Y, Mizuno H, Miyazaki M, Koizumi M, Teshima T. Effect of collimator angle on HyperArc stereotactic radiosurgery planning for single and multiple brain metastases. 2020 Spring;45(1):85-91. Osaka International Cancer Institute, Osaka, Japan

Kadoya N, Abe Y, Kajikawa T, Ito K, Yamamoto T, Umezawa R, Chiba T, Katsuta Y, Takayama Y, Kato T, Kikuchi Y, Jingu K. Automated noncoplanar treatment planning strategy in stereotactic radiosurgery of multiple cranial metastases: HyperArc and CyberKnife dose distributions. *Med Dosim.* 2019 Winter;44(4):394-400. Tohoku University Graduate School of Medicine, Sendai, Japan

Sagawa T, Ohira S, Ueda Y, Akino Y, Mizuno H, Matsumoto M, Miyazaki M, Koizumi M, Teshima T. Dosimetric effect of rotational setup errors in stereotactic radiosurgery with HyperArc for single and multiple brain metastases. *J Appl Clin Med Phys.* 2019 Oct;20(10):84-91. Osaka International Cancer Institute, Osaka, Japan

Ueda Y, Ohira S, Yamazaki H, Mabuchi N, Higashinaka N, Miyazaki M, Teshima T. Dosimetric performance of two linear accelerator-based radiosurgery systems to treat single and multiple brain metastases. *Br J Radiol.* 2019 Aug;92(1100):20190004. Osaka International Cancer Institute, Osaka, Japan

Hartgerink D, Swinnen A, Roberge D, Nichol A, Zygmanski P, Yin FF, Deblois F, Hurkmans C, Ong CL, Bruynzeel A, Aizer A, Fiveash J, Kirckpatrick J, Guckenberger M, Andratschke N, de Ruyscher D, Popple R, Zindler J. LINAC based stereotactic radiosurgery for multiple brain metastases: guidance for clinical implementation. *Acta Oncol.* 2019 Jul 1:1-8. Multinstitution led by Mastro,, Maastricht, The Netherlands

Vergalasova I, Liu H, Alonso-Basanta M, Dong L, Li J, Nie K, Shi W, Teo BK, Yu Y, Yue NJ, Zou W, Li T. Multi-Institutional Dosimetric Evaluation of Modern Day Stereotactic Radiosurgery (SRS) Treatment Options for Multiple Brain Metastases. *Front Oncol.* 2019 Jun 7;9:483. Rutgers Cancer Institute of New Jersey, Rutgers University, New Brunswick, NJ

Ruggieri R, Naccarato S, Mazzola R, Ricchetti F, Corradini S, Fiorentino A, Alongi F. Linac-based radiosurgery for multiple brain metastases: Comparison between two mono-isocenter techniques with multiple non-coplanar arcs. *Radiother Oncol.* 2019 Mar;132:70-78. Ospedale "Sacro Cuore", Negrar, Italy

Alongi F, Fiorentino A, Gregucci F, Corradini S, Giaj-Levra N, Romano L, Rigo M, Ricchetti F, Beltramello A, Lunardi G, Mazzola R, Ruggieri R. First experience and clinical results using a new non-coplanar mono-isocenter technique (HyperArc™) for Linac-based VMAT radiosurgery in brain metastases. *J Cancer Res Clin Oncol.* 2019 Jan;145(1):193-200. Ospedale "Sacro Cuore", Negrar, Italy

Alongi F, Fiorentino A, Ruggieri R, Ricchetti F, Kupelian P. Cost-effectiveness of Linac-based single-isocenter non-coplanar technique (HyperArc™) for brain metastases radiosurgery. *Clin Exp Metastasis.* 2018 Oct;35(7):601-603. Ospedale "Sacro Cuore", Negrar, Italy

Slosarek K, Bekman B, Wendykier J, Grządziel A, Fogliata A, Cozzi L. In silico assessment of the dosimetric quality of a novel, automated radiation treatment planning strategy for linac-based radiosurgery of multiple brain metastases and a comparison with robotic methods. *Radiat Oncol.* 2018 Mar 15;13(1):41. Maria Skłodowska Curie Memorial Cancer Center and Institute of Oncology, Gliwice, Poland

Ruggieri R, Naccarato S, Mazzola R, Ricchetti F, Corradini S, Fiorentino A, Alongi F. Linac-based VMAT radiosurgery for multiple brain lesions: comparison between a conventional multi-isocenter approach and a new dedicated mono-isocenter technique. *Radiat Oncol.* 2018 Mar 5;13(1):38. Ospedale "Sacro Cuore", Negrar, Italy

Ohira S, Ueda Y, Akino Y, Hashimoto M, Masaoka A, Hirata T, Miyazaki M, Koizumi M, Teshima T. HyperArc VMAT planning for single and multiple brain metastases stereotactic radiosurgery: a new treatment planning approach. *Radiat Oncol.* 2018 Jan 29;13(1):13. Osaka International Cancer Institute, Osaka, Japan

Medical Advice Disclaimer

Varian as a medical device manufacturer cannot and does not recommend specific treatment or reimbursement approaches. Individual treatment results may vary.

Intended Use Summary

Varian Medical Systems' linear accelerators are intended to provide stereotactic radiosurgery and precision radiotherapy for lesions, tumors, and conditions anywhere in the body where radiation treatment is indicated.

Safety Statement

Varian Medical Systems' linear accelerators are intended to provide stereotactic radiosurgery and precision radiotherapy for lesions, tumors, and conditions anywhere in the body where radiation treatment is indicated.

Not all products or features are available for sale in all markets.

** This bibliography is a comprehensive selection of articles but is not necessarily an exhaustive list of literature pertaining to HyperArc™ radiosurgery.*

varian

A Siemens Healthineers Company

varian.com

USA, Corporate Headquarters and Manufacturer

Varian Medical Systems, Inc.
Palo Alto, CA, USA
Phone +1-650-493 4000
800 544 4636
Fax +1-650-493 5637

EMEIA and CIS Headquarters

Varian Medical Systems International AG
Steinhausen, Switzerland
Phone +41-41-749 88 44
Fax +41-41-749 88 99

Asia Pacific Headquarters

Varian Medical Systems Pacific, Inc.
Kowloon, Hong Kong, SAR China
Phone +852-2724-2836
Fax +852-2369-4280

Australasian Headquarters

Varian Medical Systems Australasia Pty Ltd.
Sydney, Australia
Phone +61-2-9485 0100
Fax +61-2-9485 0119

Latin American Headquarters

Varian Medical Systems Brasil Ltda.
São Paulo, Brazil
Phone +55-11-3457 2655
Fax +55-11-3286 0034

© 2022 Varian Medical Systems, Inc. All rights reserved. Varian, Varian Medical Systems, and HyperArc are registered trademarks of Varian Medical Systems, Inc. All other trademarks are the property of their respective owners.